



ACCESS RAMPS & PLATFORMS

Our range of standard access ramp have smooth moulded sides and upstands, antislip surface in colours contrasting and the option to be fitted with single or double handrails. The form the basis of our modular system which allows ramps to be used alone or in a variety of combinations to achieve different gradients and heights and to overcome more complex access difficulties.

SWL : 320 KG

- Standard access ramps



Ramp type	Lenght	Width		Weight
		internal	overall	
411 001	610 mm / 2 ft	800 mm / 31½"	895 mm / 35¼"	6,5 kg
411 002	910 mm / 3 ft	800 mm / 31½"	895 mm / 35¼"	10 kg
411 003	1220 mm / 4 ft	800 mm / 31½"	895 mm / 35¼"	15,5 kg
411 004	1525 mm / 5 ft	800 mm / 31½"	895 mm / 35¼"	17 kg
411 005	1830 mm / 6 ft	800 mm / 31½"	895 mm / 35¼"	20 kg
411 006	2133 mm / 7 ft	800 mm / 31½"	895 mm / 35¼"	23 kg
411 007	2440 mm / 8 ft	800 mm / 31½"	895 mm / 35¼"	30 kg

- Standard access ramps with single handrail

The handrails are manufactured in aluminium and are soft touch powder coated. To make our ramps as versatile as possible and to enable them to be reused in different locations the handrail may be finished in different ways.



Ramp type	Lenght	Width		Weight
		internal	overall	
411 120	1220 mm / 4 ft	800 mm / 31½"	960 mm / 37¾"	19 kg
411 121	1525 mm / 5 ft	800 mm / 31½"	960 mm / 37¾"	21 kg
411 122	1830 mm / 6 ft	800 mm / 31½"	960 mm / 37¾"	23 kg
411 123	2133 mm / 7 ft	800 mm / 31½"	960 mm / 37¾"	26,5 kg
411 124	2440 mm / 8 ft	800 mm / 31½"	960 mm / 37¾"	34 kg

• Standard access ramps with double handrail



Ramp type	Lenght	Width		Weight
		internal	overall	
411 230	1220 mm / 4 ft	800 mm / 31½"	1030 mm / 40½"	17 kg
411 231	1525 mm / 5 ft	800 mm / 31½"	1030 mm / 40½"	19 kg
411 232	1830 mm / 6 ft	800 mm / 31½"	1030 mm / 40½"	21 kg
411 233	2133 mm / 7 ft	800 mm / 31½"	1030 mm / 40½"	24 kg
411 234	2440 mm / 8 ft	800 mm / 31½"	1030 mm / 40½"	31 kg
411 250	2400 mm / 8 ft	1200 mm / 47¾"	1430 mm / 56½"	60 kg

• Corner platform



Ramp type	Lenght	Width		Weight
		internal	overall	
412 250	1240 mm / 4 ft	1090 mm / 3,6 ft	1240 mm / 4 ft	30 kg

• 90° corner platform




Ramp type	Lenght	Width		Weight
		internal	overall	
412 010	1240 mm / 4 ft	1220 mm / 4 ft	1240 mm / 4 ft	25 kg

• Bottle neck platform



Ramp type	Lenght	Width		Weight
		internal	overall	
412 050	1310 mm / 5 ft	1140 mm / 4 ft	1450 mm / 5 ft	23 kg

• Straight platforms



Ramp type	Lenght	Width		Weight
		internal	overall	
412 350	1240 mm / 4 ft	1090 mm / 3,6 ft	1090 mm / 3,6 ft	23 kg
412 352	1500 mm / 5 ft	1450 mm / 5 ft	1500 mm / 5 ft	45 kg
412 450	600 mm / 2 ft	1090 mm / 3,6 ft	1240 mm / 4 ft	13 kg


PLATFORM ACCESSORIES

- Platform extension legs



Ramp type	Lenght	Weight
451 230	100 mm	0,5 kg
451 231	150 mm	0,75 kg
451 232	200 mm	1 kg

- Platform threshold bridge plate



Ramp type	Lenght	Width		Weight
		internal	overall	
451 201	230 mm	-	900 mm / 3 ft	2 kg

- Platform joining section



Ramp type	Lenght	Width		Weight
		internal	overall	
451 205	230mm	800 mm / 3 ft	895 mm / 3 ft	3,5 kg

+33 1 85 83 02 10 - info@amodi.eu
 3, rue des Peupliers - 78450 Chavenay - France
 www.jetmarine-ramps.com

